

PROPRIETES CSS

Property	Description	Values
background	A shorthand property for setting all background properties in one declaration	<i>background-color</i> <i>background-image</i> <i>background-repeat</i> <i>background-attachment</i> <i>background-position</i>
background-attachment	Sets whether a background image is fixed or scrolls with the rest of the page	scroll fixed
background-color	Sets the background color of an element	<i>color-rgb</i> <i>color-hex</i> <i>color-name</i> <i>transparent</i>
background-image	Sets an image as the background	<i>url</i> <i>none</i>
background-position	Sets the starting position of a background image	top left top center top right center left center center center right bottom left bottom center bottom right <i>x-% y-%</i> <i>x-pos y-pos</i>
background-repeat	Sets if/how a background image will be repeated	repeat repeat-x repeat-y no-repeat
color	Sets the color of a text	<i>color</i>
direction	Sets the text direction	ltr rtl
letter-spacing	Increase or decrease the space between characters	normal length
text-align	Aligns the text in an element	left right center justify
text-decoration	Adds decoration to text	none underline overline line-through blink
text-indent	Indents the first line of text in an element	<i>length</i> <i>%</i>
text-shadow		none color length

Feuille1

text-transform	Controls the letters in an element	none capitalize uppercase lowercase
unicode-bidi		normal embed bidi-override
white-space	Sets how white space inside an element is handled	normal pre nowrap
word-spacing	Increase or decrease the space between words	normal length
font	A shorthand property for setting all of the properties for a font in one declaration	<i>font-style</i> <i>font-variant</i> <i>font-weight</i> <i>font-size/line-height</i> <i>font-family</i> <i>caption</i> <i>icon</i> <i>menu</i> <i>message-box</i> <i>small-caption</i> <i>status-bar</i>
font-family	A prioritized list of font family names and/or generic family names for an element	<i>family-name</i> <i>generic-family</i>
font-size	Sets the size of a font	xx-small x-small small medium large x-large xx-large smaller larger length %
font-size-adjust	Specifies an aspect value for an element that will preserve the x-height of the first-choice font	none number
font-stretch	Condenses or expands the current font-family	normal wider narrower ultra-condensed extra-condensed condensed semi-condensed semi-expanded expanded extra-expanded ultra-expanded

Feuille1

font-style	Sets the style of the font	normal italic oblique
font-variant	Displays text in a small-caps font or a normal font	normal small-caps
font-weight	Sets the weight of a font	normal bold bolder lighter 100 200 300 400 500 600 700 800 900
border	A shorthand property for setting all of the properties for the four borders in one declaration	<i>border-width</i> <i>border-style</i> <i>border-color</i>
border-bottom	A shorthand property for setting all of the properties for the bottom border in one declaration	<i>border-bottom-width</i> <i>border-style</i> <i>border-color</i>
border-bottom-color	Sets the color of the bottom border	<i>border-color</i>
border-bottom-style	Sets the style of the bottom border	<i>border-style</i>
border-bottom-width	Sets the width of the bottom border	thin medium thick length
border-color	Sets the color of the four borders, can have from one to four colors	<i>color</i>
border-left	A shorthand property for setting all of the properties for the left border in one declaration	<i>border-left-width</i> <i>border-style</i> <i>border-color</i>
border-left-color	Sets the color of the left border	<i>border-color</i>
border-left-style	Sets the style of the left border	<i>border-style</i>
border-left-width	Sets the width of the left border	thin medium thick length
border-right	A shorthand property for setting all of the properties for the right border in one declaration	<i>border-right-width</i> <i>border-style</i> <i>border-color</i>
border-right-color	Sets the color of the right border	<i>border-color</i>
border-right-style	Sets the style of the right border	<i>border-style</i>

Feuille1

border-right-width	Sets the width of the right border	thin medium thick length
border-style	Sets the style of the four borders, can have from one to four styles	none hidden dotted dashed solid double groove ridge inset outset
border-top	A shorthand property for setting all of the properties for the top border in one declaration	<i>border-top-width</i> <i>border-style</i> <i>border-color</i>
border-top-color	Sets the color of the top border	<i>border-color</i>
border-top-style	Sets the style of the top border	<i>border-style</i>
border-top-width	Sets the width of the top border	thin medium thick length
border-width	A shorthand property for setting the width of the four borders in one declaration, can have from one to four values	thin medium thick length
margin	A shorthand property for setting the margin properties in one declaration	<i>margin-top</i> <i>margin-right</i> <i>margin-bottom</i> <i>margin-left</i>
margin-bottom	Sets the bottom margin of an element	auto length %
margin-left	Sets the left margin of an element	auto length %
margin-right	Sets the right margin of an element	auto length %
margin-top	Sets the top margin of an element	auto length %
padding	A shorthand property for setting all of the padding properties in one declaration	<i>padding-top</i> <i>padding-right</i> <i>padding-bottom</i> <i>padding-left</i>
padding-bottom	Sets the bottom padding of an element	<i>length</i> %

Feuille1

padding-left	Sets the left padding of an element	<i>length</i> %
padding-right	Sets the right padding of an element	<i>length</i> %
padding-top	Sets the top padding of an element	<i>length</i> %
list-style	A shorthand property for setting all of the properties for a list in one declaration	<i>list-style-type</i> <i>list-style-position</i> <i>list-style-image</i>
list-style-image	Sets an image as the list-item marker	none url
list-style-position	Sets where the list-item marker is placed in the list	inside outside
list-style-type	Sets the type of the list-item marker	none disc circle square decimal decimal-leading-zero lower-roman upper-roman lower-alpha upper-alpha lower-greek lower-latin upper-latin hebrew armenian georgian cjk-ideographic hiragana katakana hiragana-iroha katakana-iroha
marker-offset		auto length
height	Sets the height of an element	auto length %
line-height	Sets the distance between lines	normal number length %
max-height	Sets the maximum height of an element	none length %
max-width	Sets the maximum width of an element	none length %
min-height	Sets the minimum height of an element	<i>length</i> %

Feuille1

min-width	Sets the minimum width of an element	<i>length</i> <i>%</i>
width	Sets the width of an element	auto <i>%</i> length
clear	Sets the sides of an element where other floating elements are not allowed	left right both none
cursor	Specifies the type of cursor to be displayed	<i>url</i> <i>auto</i> <i>crosshair</i> <i>default</i> <i>pointer</i> <i>move</i> <i>e-resize</i> <i>ne-resize</i> <i>nw-resize</i> <i>n-resize</i> <i>se-resize</i> <i>sw-resize</i> <i>s-resize</i> <i>w-resize</i> <i>text</i> <i>wait</i> <i>help</i>
display	Sets how/if an element is displayed	none inline block list-item run-in compact marker table inline-table table-row-group table-header-group table-footer-group table-row table-column-group table-column table-cell table-caption
float	Sets where an image or a text will appear in another element	left right none
position	Places an element in a static, relative, absolute or fixed position	static relative absolute fixed
visibility	Sets if an element should be visible or invisible	visible hidden collapse

Feuille1

bottom	Sets how far the bottom edge of an element is above/below the bottom edge of the parent element	auto % length
clip	Sets the shape of an element. The element is clipped into this shape, and displayed	<i>shape</i> <i>auto</i>
left	Sets how far the left edge of an element is to the right/left of the left edge of the parent element	auto % length
overflow	Sets what happens if the content of an element overflow its area	visible hidden scroll auto
position	Places an element in a static, relative, absolute or fixed position	static relative absolute fixed
right	Sets how far the right edge of an element is to the left/right of the right edge of the parent element	auto % length
top	Sets how far the top edge of an element is above/below the top edge of the parent element	auto % length
vertical-align	Sets the vertical alignment of an element	baseline sub super top text-top middle bottom text-bottom length %
z-index	Sets the stack order of an element	auto number